

GynOnc Multi-Doc Scenarios

Note: for EOL patients, the physician/s involved in the patient's care in the **last 12 months of life** should be listed.

Alive: SAME PRACTICE

Had surgery

MOQC GynOnc Surgeon does surgery

MOQC MedOnc Doc at same practice Rx Chemo

- Physician 1: Gyn Onc
- Physician 2: Med Onc

Would map to each physician, site (if different), and region (GYN/MED), but once to practice

MOQC GynOnc Surgeon does surgery

MOQC MedOnc Doc at same practice follows but no Chemo

- Physician 1: Gyn Onc
- Physician 2: Do not list Med Onc unless very involved in case

Would map to each physician, site (if different), and region (GYN/MED), but once to practice

MOQC GynOnc Surgeon does surgery

MOQC GynOnc Doc (different) at same practice Rx Chemo

- Physician 1: Gyn Onc surgeon
- Physician 2: Gyn Onc chemo

Would map to each physician and site (if different), but once to practice and GYN region

MOQC GynOnc Surgeon does surgery

MOQC GynOnc Doc (different) at same practice follows but no Chemo

- Physician 1: Gyn Onc surgeon
- Physician 2: Gyn Onc follow

Would map to each physician and site (if different), but once to practice and GYN region

No Surgery

MOQC GynOnc Surgeon sees patient more than once, no surgery

MOQC MedOnc Doc at same practice Rx Chemo

- Physician 1: Med Onc
- Physician 2: Leave blank unless decision to have surgery changes, include Gyn Onc if surgery

Note: order does not matter

Would map to MED physician, site, and practice, and once to appropriate MED region

MOQC GynOnc Surgeon sees patient one time only, no surgery, recommends chemo

MOQC MedOnc Doc at same practice Rx Chemo

- Physician 1: Med Onc

- Physician 2: Leave blank
Would map to MED physician, site, and practice, and once to appropriate MED region

MOQC GynOnc Surgeon sees patient one time only, no surgery, recommends chemo

MOQC MedOnc Doc at same practice follows but no Chemo – **RARE (EOL)**

- Physician 1: Subjective based on patient chart – follow concept of who is more involved
- Physician 2: Subjective based on patient chart – follow concept of who is less involved

Note: bring questions to MOQC team or GYN meeting.

Would map to each physician, site (if different), and region (GYN/MED), but once to practice

MOQC GynOnc Surgeon sees patient more than once, no surgery

MOQC MedOnc Doc at same practice follows but no Chemo – **RARE (EOL)**

- Physician 1: Subjective based on patient chart – follow concept of who is more involved
- Physician 2: Subjective based on patient chart – follow concept of who is less involved

Would map to each physician, site (if different), and region (GYN/MED), but once to practice

Alive: DIFFERENT PRACTICE

Has surgery

MOQC GynOnc Surgeon does surgery

MOQC MedOnc Doc at different practice Rx Chemo

- Physician 1: Gyn Onc
- Physician 2: Med Onc

Would map to each physician, practice, site (if different), and region (GYN/MED)

MOQC GynOnc Surgeon does surgery

MOQC MedOnc Doc at different practice follows but no Chemo

- Physician 1: Gyn Onc
- Physician 2: Do not list Med Onc unless very involved in case

Would map to GYN physician, site, practice, and GYN region

MOQC GynOnc Surgeon does surgery

NonMOQC Doc (GYN or MED) at different practice Rx Chemo

- Physician 1: Gyn Onc
- Physician 2: Leave blank

Would map to GYN physician, site, practice, and GYN region

MOQC GynOnc Surgeon does surgery

NonMOQC Doc (GYN or MED) at different practice follows but no Chemo

- Physician 1: Gyn Onc
- Physician 2: Leave blank

Would map to GYN physician, site, practice, and GYN region

NonMOQC GynOnc Surgeon does surgery

MOQC MedOnc Doc Rx Chemo

- Physician 1: Med Onc
- Physician 2: Leave blank

Would map to MED physician, site, practice, and appropriate MED region

NonMOQC GynOnc Surgeon does surgery

MOQC MedOnc Doc follows but no Chemo

- Physician 1: Med Onc
- Physician 2: Leave blank

Would map to MED physician, site, practice, and appropriate MED region

No Surgery

MOQC GynOnc Surgeon sees patient more than once, no surgery

MOQC MedOnc Doc at different practice Rx Chemo

- Physician 1: Med Onc
- Physician 2: Leave blank

Would map to MED physician, site, and practice, and once to appropriate MED region

MOQC GynOnc Surgeon sees patient more than once, no surgery

MOQC MedOnc Doc at different practice follows but no Chemo

- Physician 1: Subjective based on patient chart – follow concept of who is more involved
- Physician 2: Subjective based on patient chart – follow concept of who is less involved

Would map to each physician, practice, site (if different), and region (GYN/MED)

MOQC GynOnc Surgeon sees patient one time only, no surgery, recommends chemo

MOQC MedOnc Doc at different practice Rx Chemo

- Physician 1: Med Onc
- Physician 2: Leave blank

Would map to MED physician, site, and practice, and once to appropriate MED region

MOQC GynOnc Surgeon sees patient one time only, no surgery, recommends chemo

MOQC MedOnc Doc at different practice follows but no Chemo

- Physician 1: Subjective based on patient chart – follow concept of who is more involved
- Physician 2: Subjective based on patient chart – follow concept of who is less involved

Would map to each physician, practice, site (if different), and region (GYN/MED)

NonMOQC GynOnc Surgeon sees patient once or more but no surgery

MOQC MedOnc Doc Rx Chemo

- Physician 1: Med Onc
- Physician 2: Leave blank

Would map to MED physician, site, practice, and appropriate MED region

NonMOQC GynOnc Surgeon sees patient once or more but no surgery

MOQC MedOnc Doc sees patient but no chemo

- Physician 1: Med Onc
- Physician 2: Leave blank

Would map to MED physician, site, practice, and appropriate MED region

MOQC GynOnc team sees patient **one time only**, no surgery, recommends chemo

NonMOQC MedOnc Doc Rx Chemo

Wouldn't qualify for abstraction

MOQC GynOnc Surgeon sees patient more than once but no surgery

NonMOQC MedOnc Doc sees patient but no chemo

- Physician 1: Gyn Onc
- Physician 2: Leave blank

Would map to GYN physician, site, practice, and GYN region